LISTING OF CLAIMS

This listing of claims is unchanged over the previous submission, and is provided only as a convenience for the Examiner:

- 1. (original) A graphics processor, the graphics processor receiving image data, the graphics processor comprising:
 - a linear-output gamma translator, the linear-output gamma translator translating the received image data into a substantially linear gamma space;
 - a processor core, the processor core rendering the translated image data to create rendered image data; and
 - a non-linear-output translator, the non-linear-output translator translating the rendered image data into a non-linear gamma space.
- 2. (original) The graphics processor of claim 1 wherein the linear-output gamma translator comprises a lookup table.
- (original) The graphics processor of claim 1 wherein the linear-output gamma translator additionally converts the received image data into a higher bit representation.

- 4. (original) The graphics processor of claim 3 wherein the higher bit representation comprises a floating point representation.
- (previously presented) The graphics processor of claim 1 wherein the non-linearoutput gamma translator additionally converts the rendered image data into a lower bit representation.
- 6. (original) The graphics processor of claim 1 wherein the received image data includes graphics data and video data.
- 7. (original) The graphics processor of claim 1 wherein the received image data is received from a memory.
- 8. (original) The graphics processor of claim 1 wherein the linear-output gamma translator comprises an input translator, the input translator translating image data inputted into the graphics processor to a substantially linear gamma space.
- 9. (original) The graphics processor of claim 1 wherein smooth shading of the image data is performed before the linear-output gamma translator translates the received image data into a substantially linear gamma space.

- 10. (original) The graphics processor of claim 1 wherein the linear-output gamma translator comprises a memory read translator, the memory read translator translating image data read from a memory to a substantially linear gamma space, and wherein the non-linear-output gamma translator comprises a memory write gamma translator, the memory write gamma translator translating image data written to the memory to a non-linear gamma space.
- 11. (previously presented) The graphics processor of claim 1 wherein the non-linear gamma space representation comprises a gamma of approximately .45.
- 12. (original) The graphics processor of claim 1 wherein the processor core includes alpha blending logic, anti-aliasing logic and video merge logic, and wherein alpha blending, anti-aliasing and video merge are performed on the image data in the substantially linear gamma space.
- 13. (original) The graphics processor of claim 1 wherein the linear-output gamma translator additionally converts the received image data into a higher bit representation, and wherein the non-linear-output gamma translator additionally converts the received graphics data into a lower bit representation, and wherein the higher bit representation comprises a 12-14 bit representation and wherein the lower bit representation comprises an 4-10 bit representation.

- 14. (original) A method for rendering received image data in a graphics processor, the method comprising the steps of:
 - a) translating the received image data to a substantially linear gamma space;
 - a) rendering the translated image data to create rendered image data;
 - b) translating the rendered image data to a non-linear gamma space; and
 - d) outputting the non-linear gamma space rendered image data for display.
- 15. (original) The method of claim 14 wherein the step of translating the received image data to a substantially linear gamma space comprises utilizing a lookup table.
- 16. (original) The method of claim 14 wherein the step of translating the received image data to a substantially linear gamma space additionally converts the received image data into a higher bit representation.
- 17. (original) The method of claim 14 wherein the step of translating the rendered image data to a non-linear gamma space additionally converts the received image data into a lower bit representation.
- 18. (original) The method of claim 14 wherein the received image data includes graphics data and video data.

- 19. (original) The method of claim 14 wherein the received image data is received from a memory.
- 20. (original) The method of claim 14 further comprising the step of performing other rendering before the step of translating the received image data to a substantially linear gamma space.
- 21. (original) The method of claim 20 wherein the other rendering comprises smooth shading.
- 22. (original) The method of claim 14 wherein the step of translating the received image data to a substantially linear gamma space comprises translating image data received from a memory, and wherein the step of outputting the non-linear gamma space rendered image data for display comprises outputting to the memory.

23. (original) A graphics processor, the graphics processor receiving image data, the graphics processor comprising:

an input gamma translator, the input gamma translator translating the received image data into a substantially linear gamma space and a higher bit representation;

a processor core, the processor core rendering the translated image data to create rendered image data; and

an output gamma translator, the output gamma translator translating the rendered image data into a non-linear gamma space output video data to a non-linear gamma space and a lower bit representation;

a memory write gamma translator, the memory write gamma translator translating image data written to a memory to a non-linear gamma space and a lower bit representation; and

a memory read gamma translator translating image data read from the memory to a substantially linear gamma space and a higher bit representation.

- 24. (original) The graphics processor of claim 23 wherein input gamma translator and the output gamma translator comprise a lookup table.
- 25. (original) The graphics processor of claim 23 wherein the higher bit representation comprises a 12-14 bit representation and wherein the lower bit representation comprises a 4-10 bit representation.

- 26. (original) The graphics processor of claim 23 wherein the higher bit representation comprises a floating point representation.
- 27. (original) The graphics processor of claim 23 wherein the received image data includes graphics data and video data.
- 28. (original) The graphics processor of claim 23 wherein the processor core further includes a smooth shading function, and wherein the smooth shading function is performed on the image data before the input gamma translator translates the received image data into a substantially linear gamma space and a higher bit representation.